

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC
 ISO/IEC 17025:2017 Acc. L17-427-1 #85368



Sample **PRPL Haze 1000mg Live Rosin Blend Gummies**

| | |
|---------------------------------------|--|
| Sample ID SD231111-003 (87266) | Matrix Edible (Other Cannabis Good) |
| Tested for Eighty Six Brand | |
| Sampled - | Received Nov 10, 2023 |
| Analyses executed FP-NI20 | Unit Mass (g) 40.39 |
| | Reported Nov 15, 2023 |
| | Num. of Servings 10 |
| | Serving Size (g) 4.04 |

Laboratory note: The estimated concentration of the unknown peak in this sample is 0.12%. Currently, PharmLabs laboratory can not confirm the unidentified peak in your chromatogram due to an interference (only with concentrated d8 products) from which we believe to be an isomer of d8-THC or d9-THC. The UI peak totals will not be included in the cannabinoid totals at the bottom of the potency section.

CANX - Cannabinoids Analysis

Analyzed Nov 14, 2023 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately **±.806%** at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|--|----------|----------|----------|-------------|-------------------|----------------|
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | ND | ND |
| Cannabidiol (CBD) | 0.002 | 0.007 | ND | ND | ND | ND |
| Abnormal Cannabidiol (a-CBD) | 0.01 | 0.031 | ND | ND | ND | ND |
| (±)-9B-hydroxy-Hexahydrocannabinol (9b-HHC) | 0.012 | 0.036 | ND | ND | ND | ND |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.007 | 0.021 | ND | ND | ND | ND |
| Cannabidiolic Acid (CBDA) | 0.001 | 0.16 | ND | ND | ND | ND |
| Cannabigerol Acid (CBGA) | 0.001 | 0.16 | ND | ND | ND | ND |
| Cannabigerol (CBG) | 0.001 | 0.16 | ND | ND | ND | ND |
| Cannabidiol (CBD) | 0.001 | 0.16 | ND | ND | ND | ND |
| γ(S)-THD (s-THD) | 0.013 | 0.041 | ND | ND | ND | ND |
| γ(R)-THD (r-THD) | 0.025 | 0.075 | ND | ND | ND | ND |
| Tetrahydrocannabinol (THCV) | 0.001 | 0.16 | ND | ND | ND | ND |
| Δ8-tetrahydrocannabinol (Δ8-THCV) | 0.021 | 0.064 | ND | ND | ND | ND |
| Cannabidihexol (CBDH) | 0.005 | 0.16 | ND | ND | ND | ND |
| Tetrahydrocannabinol (Δ9-THCB) | 0.013 | 0.038 | ND | ND | ND | ND |
| Cannabinol (CBN) | 0.001 | 0.16 | 0.28 | 2.85 | 11.51 | 115.11 |
| Cannabidiophorol (CBDP) | 0.015 | 0.047 | ND | ND | ND | ND |
| exo-THC (exo-THC) | 0.005 | 0.16 | ND | ND | ND | ND |
| Tetrahydrocannabinol (Δ9-THC) | 0.003 | 0.16 | UI | UI | UI | UI |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.004 | 0.16 | 1.54 | 15.38 | 62.14 | 621.20 |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.16 | ND | ND | ND | ND |
| Hexahydrocannabinol (S Isomer) (9s-HHC) | 0.017 | 0.16 | 0.55 | 5.51 | 22.26 | 222.55 |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.16 | ND | ND | ND | ND |
| Hexahydrocannabinol (R Isomer) (9r-HHC) | 0.016 | 0.16 | 0.56 | 5.64 | 22.79 | 227.80 |
| Tetrahydrocannabinolic Acid (THCA) | 0.001 | 0.16 | ND | ND | ND | ND |
| Δ9-Tetrahydrocannabinol (Δ9-THCH) | 0.024 | 0.071 | ND | ND | ND | ND |
| Cannabinol Acetate (CBNO) | 0.014 | 0.043 | ND | ND | ND | ND |
| Δ9-Tetrahydrocannabinol (Δ9-THCP) | 0.017 | 0.16 | 0.06 | 0.60 | 2.42 | 24.23 |
| Δ8-Tetrahydrocannabinol (Δ8-THCP) | 0.041 | 0.16 | ND | ND | ND | ND |
| Cannabicitran (CBT) | 0.005 | 0.16 | ND | ND | ND | ND |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.16 | ND | ND | ND | ND |
| 9(S)-HHCP (s-HHCP) | 0.031 | 0.094 | ND | ND | ND | ND |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.16 | ND | ND | ND | ND |
| 9(R)-HHCP (r-HHCP) | 0.026 | 0.079 | ND | ND | ND | ND |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.005 | 0.16 | ND | ND | ND | ND |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.008 | 0.025 | ND | ND | ND | ND |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.067 | 0.204 | ND | ND | ND | ND |
| Δ9-THC methyl ether (Δ9-MeO-THC) | | | NT | NT | NT | NT |
| Total THC (THCa * 0.877 + Δ9THC) | | | UI | UI | UI | UI |
| Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC) | | | 1.54 | 15.38 | 62.14 | 621.20 |
| Total CBD (CBDA * 0.877 + CBD) | | | ND | ND | ND | ND |
| Total CBG (CBGA * 0.877 + CBG) | | | ND | ND | ND | ND |
| Total HHC (9r-HHC + 9s-HHC) | | | 1.12 | 11.15 | 45.05 | 450.35 |
| Total Cannabinoids | | | 3.00 | 29.98 | 121.12 | 1210.89 |

Sample photography



HME - Heavy Metals Analysis

Analyzed Nov 13, 2023 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | ND | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | ND | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | 0.00 | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | 0.00 | 0.5 |
| Nickel (Ni) | 6.0e-05 | 0.0002 | ND | |

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Wed, 15 Nov 2023 16:57:08 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

MIBNIG - Microbial Analysis

Analyzed Nov 13, 2023 | Instrument Plating | Method SOP-007

| Analyte | LOD | LOQ | Result CFU/g | Limit | Analyte | LOD | LOQ | Result CFU/g | Limit |
|--|-----|-----|-----------------|---------------|-----------------|-----|-----|-----------------|---------------|
| Shiga toxin-producing Escherichia Coli | | | ND | ND per 1 gram | Salmonella spp. | | | ND | ND per 1 gram |

MTO - Mycotoxin Analysis

Analyzed Nov 15, 2023 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg |
|--------------|--------------|--------------|-----------------------|----------------|------------------|--------------|--------------|-----------------------|----------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Wed, 15 Nov 2023 16:57:08 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides Analysis

Analyzed Nov 15, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.0078 | 0.02 | ND | 0.0078 | Carbofuran | 0.01 | 0.02 | ND | 0.01 |
| Dimethoate | 0.01 | 0.02 | ND | 0.01 | Etofenprox | 0.02 | 0.1 | ND | 0.02 |
| Fenoxycarb | 0.01 | 0.02 | ND | 0.01 | Thiachloprid | 0.01 | 0.02 | ND | 0.01 |
| Daminozide | 0.01 | 0.03 | ND | 0.01 | Dichlorvos | 0.02 | 0.07 | ND | 0.02 |
| Imazail | 0.02 | 0.07 | ND | 0.02 | Methiocarb | 0.01 | 0.02 | ND | 0.01 |
| Spiroxamine | 0.01 | 0.02 | ND | 0.01 | Coumaphos | 0.01 | 0.02 | ND | 0.01 |
| Fipronil | 0.01 | 0.1 | ND | 0.01 | Paclbutrazol | 0.01 | 0.03 | ND | 0.01 |
| Chlorpyrifos | 0.01 | 0.04 | ND | 0.01 | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | 0.01 |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | 0.01 | Chlordane | 0.04 | 0.1 | ND | 0.04 |
| Chlorfenapyr | 0.03 | 0.1 | ND | 0.03 | Methyl Parathion | 0.02 | 0.1 | ND | 0.02 |
| Mevinphos | 0.05 | 0.08 | ND | 0.03 | Abamectin | 0.03 | 0.08 | ND | 0.3 |
| Acephate | 0.02 | 0.05 | ND | 5 | Acetamidprid | 0.01 | 0.05 | ND | 5 |
| Azoxystrobin | 0.01 | 0.02 | ND | 40 | Bifenazate | 0.01 | 0.05 | ND | 5 |
| Bifenthrin | 0.02 | 0.35 | ND | 0.5 | Boscalid | 0.01 | 0.03 | ND | 10 |
| Carbaryl | 0.01 | 0.02 | ND | 0.5 | Chlorantraniliprole | 0.01 | 0.04 | ND | 40 |
| Clofentezine | 0.01 | 0.03 | ND | 0.5 | Diazinon | 0.01 | 0.02 | ND | 0.2 |
| Dimethomorph | 0.02 | 0.06 | ND | 20 | Etoxazole | 0.01 | 0.05 | ND | 1.5 |
| Fenpyroximate | 0.02 | 0.1 | ND | 2 | Fonicamid | 0.01 | 0.02 | ND | 2 |
| Fludioxonil | 0.01 | 0.05 | ND | 30 | Hexythiazox | 0.01 | 0.03 | ND | 2 |
| Imidacloprid | 0.01 | 0.05 | ND | 3 | Kresoxim-methyl | 0.01 | 0.03 | ND | 1 |
| Malathion | 0.01 | 0.05 | ND | 5 | Metalaxyl | 0.01 | 0.02 | ND | 15 |
| Methomyl | 0.02 | 0.05 | ND | 0.1 | Myclobutanil | 0.02 | 0.07 | ND | 9 |
| Naled | 0.01 | 0.02 | ND | 0.5 | Oxamyl | 0.01 | 0.02 | ND | 0.2 |
| Permethrin | 0.01 | 0.02 | ND | 20 | Phosmet | 0.01 | 0.02 | ND | 0.2 |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | 8 | Propiconazole | 0.03 | 0.08 | ND | 20 |
| Prallethrin | 0.02 | 0.05 | ND | 0.4 | Pyrethrin | 0.05 | 0.41 | ND | 1 |
| Pyridaben | 0.02 | 0.07 | ND | 3 | Spinosad A | 0.01 | 0.05 | ND | 3 |
| Spinosad D | 0.01 | 0.05 | ND | 3 | Spiromesifen | 0.02 | 0.06 | ND | 12 |
| Spirotetramat | 0.01 | 0.02 | ND | 13 | Tebuconazole | 0.01 | 0.02 | ND | 2 |
| Thiamethoxam | 0.01 | 0.02 | ND | 4.5 | Trifloxystrobin | 0.01 | 0.02 | ND | 30 |
| Acequinocyl | 0.02 | 0.09 | ND | 4 | Captan | 0.01 | 0.02 | ND | 5 |
| Cypermethrin | 0.02 | 0.1 | ND | 1 | Cyfluthrin | 0.04 | 0.1 | ND | 1 |
| Fenhexamid | 0.02 | 0.07 | ND | 10 | Spinetoram J.L | 0.02 | 0.07 | ND | 3 |
| Pentachloronitrobenzene | 0.01 | 0.1 | ND | 0.2 | | | | | |

RES - Residual Solvents Analysis

Analyzed Nov 14, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|-------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.4 | 40.0 | ND | | Butane (But) | 0.4 | 40.0 | ND | |
| Methanol (Metha) | 0.4 | 40.0 | ND | | Ethylene Oxide (EthOx) | 0.4 | 0.8 | ND | |
| Pentane (Pen) | 0.4 | 40.0 | ND | | Ethanol (Ethanol) | 0.4 | 40.0 | ND | |
| Ethyl Ether (EthEt) | 0.4 | 40.0 | ND | | Acetone (Acet) | 0.4 | 40.0 | ND | |
| Isopropanol (2-Pro) | 0.4 | 40.0 | ND | | Acetonitrile (Acetonit) | 0.4 | 40.0 | ND | |
| Methylene Chloride (MetCh) | 0.4 | 0.8 | ND | | Hexane (Hex) | 0.4 | 40.0 | ND | |
| Ethyl Acetate (EthAc) | 0.4 | 40.0 | ND | | Chloroform (Clo) | 0.4 | 0.8 | ND | |
| Benzene (Ben) | 0.4 | 0.8 | ND | | 1,2-Dichloroethane (12-Dich) | 0.4 | 0.8 | ND | |
| Heptane (Hep) | 0.4 | 40.0 | ND | | Trichloroethylene (TriClIEth) | 0.4 | 0.8 | ND | |
| Toluene (Toluene) | 0.4 | 40.0 | ND | | Xylenes (Xyl) | 0.4 | 40.0 | ND | |

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Nov 10, 2023 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

MWA - Moisture Content & Water Activity Analysis

Analyzed Nov 10, 2023 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

| Analyte | LOD % | LOQ % | Result | Limit | Analyte | LOD % | LOQ % | Result | Limit |
|----------------|-------|-------|-----------|---------|---------------------|-------|-------|---------------------|---------------------|
| Moisture (Moi) | 0.0 | 0.0 | 11.0 % Mw | 13 % Mw | Water Activity (WA) | 0.03 | 0.03 | 0.69 a _w | 0.85 a _w |

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Wed, 15 Nov 2023 16:57:08 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.